## Australian National Cleaning Management Framework (ANCMF)

# **Helipad**

Code: ANCMF-AU-HF-H-01 • Facility: Healthcare Facility • Frequency: daily

#### **Scope of Work**

- Remove all debris and rubbish from the helipad area.
- Sanitise all surfaces to prevent infection risks.
- Ensure all markings and signage are visible and free from obstructions.
- Conduct a visual inspection for any stains or spills and clean immediately.
- Ensure all drains are clear and free from blockages.
- Check and clean lighting fixtures to ensure proper illumination.
- Use colour-coded cleaning systems to prevent cross-contamination.

#### Method

- 1. Begin by removing all visible debris and rubbish, placing it in the designated rubbish bins.
- 2. Use a high-pressure washer to clean the helipad surface, ensuring all dirt and grime are removed.
- 3. Apply a hospital-grade disinfectant to all surfaces, following the manufacturer's instructions for dwell time and dilution.
- 4. Inspect all painted markings and signage, cleaning any dirt or obstructions.
- 5. Check drains for blockages and clear as necessary.
- 6. Clean lighting fixtures with a damp cloth and ensure they are functioning correctly.
- 7. Conduct a final inspection to ensure all cleaning tasks have been completed to standard.

### **Equipment**

• High-pressure washer

· Hospital-grade disinfectant

- · Colour-coded cleaning cloths
- Rubbish bins

- Cleaning trolley
- Personal protective equipment (PPE)

## **Quality Criteria**

Performance Level	Criteria
Excellent	All surfaces are visibly clean and sanitised, no debris present, all markings are clear and visible, no odours detected, drains are clear, and lighting is fully operational.
Good	Minor debris present, surfaces are mostly clean, markings are visible, slight odours may be present, drains mostly clear, and lighting operational.
Pass	Some debris present, surfaces show signs of cleaning but may have minor stains, markings are visible but may be slightly obstructed, odours present, drains partially blocked, and lighting mostly operational.
Fail	Significant debris present, surfaces are dirty, markings are obstructed or unclear, strong odours present, drains blocked, and lighting not operational.